

NASA Software Documentation Standard

Software Engineering Program

NASA-STD-2100-91

Approved: July 29, 1991

National Aeronautics and
Space Administration
Washington, DC 20546

INTRODUCTION

The NASA Software Documentation Standard (hereinafter referred to as "Standard") is designed to support the documentation of all software developed for NASA; its goal is to provide a framework and model for recording the essential information needed throughout the development life cycle and maintenance of a software system. The Standard will have been successfully applied if the project manager (NASA) has tailored it to a minimum set and if the resulting documentation meets the following criteria:

- The documentation goals of the project are adequately satisfied.
- Clear descriptions of the software management, engineering, and assurance processes and products are provided.
- Consistency of format across the project documentation is achieved.
- Traceability to the untailored Standard is maintained.
- Traceability between products of each phase of the development life cycle is maintained.

The organizational philosophy of the Standard is straightforward. There are four main volumes of produced documentation: the Management Plan; Product Specification; Assurance and Test Procedures; and Management, Engineering, and Assurance Reports. All project planning information, including management, engineering, and assurance planning, is documented in the Management Plan. All technical engineering information is recorded in the Product Specification. All technical assurance information is placed in the Assurance and Test Procedures. All reports are kept in the Management, Engineering, and Assurance Reports.

The Standard provides a top level Data Item Description (DID) for a documentation set and a DID for each volume that consist of a table of contents (format) along with requirements for what is to be addressed in each section (content). If needed, the base table of contents can be given greater substructure through the use of additional DIDs. DIDs may be modified so that sections that are not applicable are marked N/A and not used, and additional needed sections are added through tailoring. Volumes may be produced either in the same top level document or in separate documents.

The major sections of the Standard are as follows: Section 1.0 provides purpose, scope, and application of the Standard; Section 2.0 includes references, abbreviations, acronyms, and glossary. All requirements found in the Standard are contained in Section 3.0, with general requirements in Section 3.1, specific requirements for tailoring the Standard in Section 3.2, and requirements

and rules for creating documentation based on the tailored Standard in Section 3.3. Section 4.0, Quality Assurance Provisions, addresses assurance and enforcement of the Standard. Section 5.0, Packaging, does not apply to the Standard and is therefore not applicable. Section 6.0 contains additional useful information, including explanations and examples. Appendix A contains a tailoring checklist consisting of a single outline, using all the Data Item Descriptions (DIDs). Appendix B contains the two master DIDs for creating documentation: the top level DID whose four sections are the four volumes (Software Documentation Set DID) and a DID used for creating separate documents while maintaining traceability (Template DID). Appendices C, D, E, and F contain, respectively, the DIDs for the Management Plan; Product Specification; Assurance and Test Procedures; and Management, Engineering, and Assurance Reports.

TABLE OF CONTENTS

<u>1.0</u>	<u>SCOPE, PURPOSE, AND APPLICATION</u>
1.1	SCOPE
1.2	PURPOSE
1.3	APPLICATION
<u>2.0</u>	<u>REFERENCES</u>
2.1	REFERENCED DOCUMENTS
2.2	ABBREVIATIONS AND ACRONYMS
2.3	GLOSSARY
<u>3.0</u>	<u>REQUIREMENTS</u>
3.1	IMPLEMENTATION REQUIREMENTS
3.2	TAILORING REQUIREMENTS
3.3	DOCUMENTATION REQUIREMENTS
<u>4.0</u>	<u>QUALITY ASSURANCE PROVISIONS</u>
<u>5.0</u>	<u>PACKAGING</u>
<u>6.0</u>	<u>ADDITIONAL INFORMATION</u>
6.1	RELATIONSHIP BETWEEN ACQUIRER AND PROVIDER
6.2	DOCUMENT TITLES
6.3	TAILORING CHECKLIST

APPENDIX A - DOCUMENTATION SET OUTLINE AND CHECKLIST

APPENDIX B - MASTER DOCUMENTATION DATA ITEM DESCRIPTIONS

NASA-DID-000	Software Documentation Set DID
NASA-DID-999	Template DID

APPENDIX C - MANAGEMENT PLAN DATA ITEM DESCRIPTIONS

NASA-DID-M000	Management Plan DID
NASA-DID-M100	Acquisition Activities Plan DID
NASA-DID-M200	Development Activities Plan DID
NASA-DID-M210	Training Development Plan DID

DID	NASA-DID-M300	Sustaining Engineering and Operations Activities Plan
	NASA-DID-M400	Assurance Plan DID
	NASA-DID-M500	Risk Management Plan DID
	NASA-DID-M600	Configuration Management Plan DID
	NASA-DID-M700	Delivery and Operational Transition Plan DID

APPENDIX D - PRODUCT SPECIFICATION DATA ITEM DESCRIPTIONS

NASA-DID-P000	Product Specification DID
NASA-DID-P100	Concept DID
NASA-DID-P200	Requirements DID
NASA-DID-P300	Architectural Design DID
NASA-DID-P400	Detailed Design DID
NASA-DID-P410	Firmware Support Manual DID
NASA-DID-P500	Version Description DID
NASA-DID-P600	User's Guide DID
NASA-DID-P700	Operational Procedures Manual DID

APPENDIX E - ASSURANCE AND TEST PROCEDURES DATA ITEM DESCRIPTIONS

NASA-DID-A000	Assurance and Test Procedures DID
NASA-DID-A100	Assurance Procedures DID
NASA-DID-A200	Test Procedures DID

APPENDIX F - MANAGEMENT, ENGINEERING, AND ASSURANCE REPORTS DATA ITEM DESCRIPTIONS

NASA-DID-R000	Management, Engineering, and Assurance Reports DID
NASA-DID-R001	Certification Report
NASA-DID-R002	Audit Report
NASA-DID-R003	Inspection Report
NASA-DID-R004	Discrepancy (NRCA) Report
NASA-DID-R005	Engineering Change Proposal
NASA-DID-R006	Lessons Learned Report F-10
NASA-DID-R007	Performance/Status Reports
NASA-DID-R008	Assurance Activity Report
NASA-DID-R009	Test Report
NASA-DID-R010	Waiver/Deviation Request
NASA-DID-R011	Review Report

1.0 SCOPE, PURPOSE, AND APPLICATION

1.1 SCOPE

The NASA Software Documentation Standard (hereinafter referred to as Standard) can be applied to the documentation of all NASA software. This Standard is limited to documentation format and content requirements. It does not mandate specific management, engineering, or assurance standards or techniques.

1.2 PURPOSE

This Standard defines the format and content of documentation for software acquisition, development, and sustaining engineering. Format requirements address where information shall be recorded and content requirements address what information shall be recorded.

This Standard provides a framework to allow consistency of documentation across NASA and visibility into the completeness of project documentation. This basic framework consists of four major sections (or volumes). The Management Plan contains all planning and business aspects of a software project, including engineering and assurance planning. The Product Specification contains all technical engineering information, including software requirements and design. The Assurance and Test Procedures contains all technical assurance information, including Test, Quality Assurance (QA), and Verification and Validation (V&V). The Management, Engineering, and Assurance Reports is the library and/or listing of all project reports.

1.3 APPLICATION

Selection and use of this Standard is the responsibility of program/project management and is to be determined on a program/project basis.

2.0 REFERENCES

2.1 REFERENCED DOCUMENTS

IEEE Standard Glossary of Software Engineering Terminology, ANSI/IEEE Standard 729-1983, New York: Institute of Electrical and Electronic Engineers, Inc.

Military Standard for Defense System Software Development, DoD STD 2167, 4 June 1985, and DoD STD 2167A, 27 October 1987.

NASA Software Management, Assurance, and Engineering Policy, NMI 2410.10, March 26, 1991.

2.2 ABBREVIATIONS AND ACRONYMS

AR Acceptance Review

CDR Critical Design Review

COTS Commercial Off The Shelf

CSC Computer Software Component

CSCI Computer Software Configuration Item

CSU Computer Software Unit

DID Data Item Description

DoD Department of Defense

ECP Engineering Change Proposal

FCA Functional Configuration Audit

GFE Government Furnished Equipment

IV&V Independent Verification and Validation

N/A Not Applicable

NASA National Aeronautics and Space Administration

NRCA Nonconformance Reporting and Corrective Action

PCA Physical Configuration Audit

PDR Preliminary Design Review

QA Quality Assurance

RFP Request for Proposal

RR Requirements Review

SOW Statement of Work

SRM&QA Safety, Reliability, Maintainability, and Quality Assurance

STD Standard

TBD To Be Determined (at a later date)

TRR Test Readiness Review

V&V Verification and Validation

WBS Work Breakdown Structure

2.3 GLOSSARY

For terms not appearing in this glossary, refer to the IEEE Standard Glossary (as referenced in Section 2.1).

Acceptance Review (AR) The phase transition review for the Acceptance and Delivery life cycle phase.

Acquirer An organization that obtains a capability, such as a software system.

Adaptation The tailoring of the documentation standards (within the specifications of the rules and guidelines) for a specific program, project, or software system.

Assurance Those activities, independent of the organization conducting the activity, that demonstrate the conformance of a product or process to a specified criteria (such as a design or a standard).

Assurance and Test Procedures One of four logical volumes in a documentation set; it encompasses all the technical (i.e., nonplanning) aspects of the assurance activities.

Baselining The official acceptance of a product or its placement under configuration management as defined in the Management Plan.

Certification The process of confirming that a system, software subsystem, or computer program is capable of satisfying its specified requirements in an operational environment. Certification usually takes place in the field under actual conditions, and is used to evaluate not only the software itself, but also the specifications to which the software was constructed. Certification extends the process of verification and validation to an actual or simulated operational environment.

Computer Software Component (CSC) A functional or logically distinct part of a computer software configuration item. Computer software components may be top level or lower level.

Computer Software Configuration Item (CSCI) A collection of software elements treated as a unit for the purpose of configuration management.

Computer Software Unit (CSU) The smallest logical entity specified in the design of a computer software component and the actual physical entity in code that implements a testable aspect of the requirements. This is the smallest unit for which

documentation may be required.

Critical Design Review (CDR) – The phase transition review for the Detailed Design life cycle phase.

Data Item Description (DID) – The table of contents and associated content description of a document or volume.

Developer – The provider organization responsible for development of software.

Document – A physically separate book in a documentation set.

Documentation Set – The four logical volumes for a software system. These volumes are the Management Plan; Product Specification; Assurance and Test Procedures; and Management, Engineering, and Assurance Reports.

Evolutionary Acquisition – The acquisition of software over a relatively long period of time in which two or more complete iterations of a life cycle will be employed to revise and extend the system to such an extent as to require a major requirements analysis and therefore subsequent life cycle iterations.

Firmware – Hardware that contains a computer program and data that cannot be changed in its user environment. The computer programs and data contained in the firmware are classified as software; the circuitry containing the computer program and data is classified as hardware.

Functional Configuration Audit (FCA) – The formal examination of functional characteristics' test data for a computer software configuration item, prior to acceptance, to verify that the item has achieved the performance specified in its functional or allocated configuration identification.

Hardware – Physical equipment used in data processing, as opposed to computer programs, procedures, rules, and associated documentation.

Increment – A predefined set of units integrated for integration testing by the development organization in response to incremental development plans.

Incremental Development – The process of developing a product before delivery in a series of segments. These segments remain internal to the development organization. The process is used to help minimize risk. The segments are defined based on the design and documented in the Design section of the Product Specification. The process leads to a single delivery unless used in conjunction with "phased delivery."

Independent Verification and Validation (IV&V) – Verification and validation performed by an organization independent of the development organization. For complete independence, the IV&V organization reports directly to and is funded directly by the acquirer.

Life Cycle (software) – The period of time that starts when a software product is conceived and ends when the software is no longer available for use. The software life cycle traditionally has eight phases: Concept and Initiation; Requirements; Architectural Design; Detailed Design; Implementation/Coordination; Integration and Test; Acceptance and Delivery; and Sustaining Engineering and Operations. This example is referred to as the waterfall life cycle.

Management, Engineering, and Assurance Reports – One of four logical volumes in the documentation set; it represents a "logical" home for all reports and request forms.

Management Plan – One of four logical volumes in a documentation set; it encompasses all planning information, including management, engineering, and assurance planning.

Metric – Quantitative measure of extent or degree to which software possesses and exhibits a certain characteristic, quality, property, or attribute.

Partitioning – The process of determining the content for each delivery when using the phased delivery approach, or for determining the content of each segment when using incremental development.

Phase – The period of time during the life of a project in which a related set of software engineering activities are performed. Phases may overlap.

Phase Transition Review – The review at the end of a phase triggering transition to the next phase.

Phased Delivery – The process of developing and delivering a product in stages, each providing an increasing capability for the

software. The process may be employed to provide an early operational capability to users, for budgetary reasons, or because of risk, size, or complexity. Each delivery should undergo acceptance testing prior to release for operational use. The capabilities provided in each delivery are determined by prioritizing and partitioning the requirements. This is to be documented in the Requirements section of the Product Specification.

Physical Configuration Audit (PCA) The formal examination of the "as built" configuration of a unit of a computer software configuration item against its technical documentation in order to establish the computer software configuration item's initial product configuration identification.

Preliminary Design Review (PDR) The phase transition review for the Architectural Design life cycle phase.

Product Specification One of four logical volumes in a documentation set; it encompasses all the technical engineering information related to the development of the software.

Prototyping A process used to explore alternatives and minimize risks. Prototyping can be used in any life cycle phase. The product of the process is usually a report.

Provider An organization providing a capability to an acquirer; e.g., the developer or an organization providing IV&V.

Quality Assurance (QA) A subset of the total assurance activities generally focused on conformance to standards and plans.

Quality Engineering The process of incorporating reliability, maintainability, and other quality factors into software products.

Repository A collection of standards, procedures, guides, practices, rules, etc., that supplements information contained in a documentation set. In general, the documentation set describes "what" is to be done and the repository provides the "how to" instructions. A repository usually contains information that is applicable to multiple software systems.

Requirements Allocation The process of distributing requirements of a software system to subordinate software subsystems or lower level elements.

Requirements Partitioning The process of distributing requirements of software to different deliveries in support of phased delivery.

Requirements Review (RR) The phase transition review for the Requirements life cycle phase.

Review Item Discrepancy A type of discrepancy report used when reviewing documentation.

Risk The combined effect of the likelihood of an unfavorable occurrence and the potential impact of that occurrence.

Risk Management The process of assessing potential risks and reducing those risks within budget, schedule, and other constraints.

Roll out A mechanism for recording sections of a volume in physically separate documents while maintaining traceability and links to the parent document.

Software Programs, procedures, rules, and any associated documentation and data pertaining to the operation of a computer system, including programs and data contained in firmware.

Template DID Framework used in the roll out process for defining the specific format of a section rolled out into a physically separate document.

Test Readiness Review (TRR) The phase transition review for the Integration and Test life cycle phase.

Testing The process of exercising or evaluating software by manual or automated means to demonstrate that it satisfies specified requirements or to identify differences between expected and actual results.

Tool A hardware device or computer program used to help develop, test, analyze, or maintain another device or computer program or its documentation.

Unit see Computer Software Unit.

Verification and Validation The process of evaluating software to ensure compliance with requirements and determining whether or not the products of a given phase of development fulfill the requirements established during the previous phase.

Volume One of the four basic types of information to be addressed for each software acquisition/development activity. The four volumes are the Management Plan; Product Specification; Assurance and Test Procedures; and Management, Engineering, and Assurance Reports.

3.0 REQUIREMENTS

This section contains all requirements for implementing the Standard, tailoring the DIDs, and producing the documentation. Section 3.1, Implementation Requirements, contains requirements for designing the overall structure of the project documentation. Section 3.2, Tailoring Requirements, contains requirements for tailoring the DIDs. Section 3.3, Documentation Requirements, contains content and structure requirements for producing documentation.

3.1 IMPLEMENTATION REQUIREMENTS

3.1.1 All delivered project documentation shall be produced in accordance with this Standard.

3.1.2 The project manager shall develop a documentation tree, or trees, as dictated by the structure of the project.

3.1.3 Each documentation tree shall address all four major sections (or volumes) of the Standard.

- a. Management Plan
- b. Product Specification
- c. Assurance and Test Procedures
- d. Management, Engineering, and Assurance Reports

3.1.4 The documentation tree shall contain at least one instance of each of these volumes.

3.1.5 This documentation tree (text or graphic) shall be placed in Section 1.5, Documentation Organization, of each document belonging to the tree.

3.1.6 The creation of documentation shall be accomplished by using the DIDs (as tailored) contained in Appendices B through F of this Standard.

3.1.7 For development and/or acquisitions of software having the highest classification (per NMI 2410.10), Sections 5.0 and 6.0 of the Acquisition Activities Plan section of the Management Plan shall be completed without tailoring.

3.2 TAILORING REQUIREMENTS

A certain amount of tailoring is expected on every software acquisition or development project. The main purpose of tailoring is to achieve a balance between software documentation needs and cost. The project manager should not apply a requirement or ask for a piece of documentation if it is not needed for the project's success. The project manager should consider the special risks, needs, and limitations of a specific software project, and then tailor the DIDs accordingly.

Tailoring of this Standard consists of the following: a) evaluating individual sections of the DIDs to determine the extent to which the documentation called for is needed in a specific application; and b) modifying the DIDs by adding new sections, identifying sections that are not applicable (N/A), or changing text within sections in order to clarify the intent of that section.

The complete table of contents for a documentation set is included in Appendix A. This table of contents can serve as a detailed tailoring checklist.

3.2.1 The project manager, in conjunction with the product assurance manager, shall tailor the DIDs to a specific software acquisition or development activity before levying this Standard on that activity.

3.2.2 For all documentation, the project manager shall determine which sections and subsections are applicable, and each section and subsection determined to be not applicable to the project shall be marked "N/A."

3.2.3 If all subsections of a given section are not applicable or if the information expected from these subsections can be provided in a short unfragmented form, then the subsections shall be removed from the tailored standard, while keeping the section.

3.2.4 When information is desired, but no logical subsection exists in the original DID, the project manager shall add new subsections to the DID at the end of the appropriate section, after all original subsections.

3.2.5 When any subsections are used within a section, all other original subsections shall be listed, even if they are marked N/A.

3.2.6 The project manager shall modify the text in a subsection if that is needed for clarity or completeness without any change to intended purpose of the section.

3.3 DOCUMENTATION REQUIREMENTS

The DIDs describe the format and contents for each section of the documentation set. Additionally, some sections of a DID specify the use of a lower level DID to prepare that particular section. This lower level DID contains the subsections and their format and content descriptions.

3.3.1 Project documentation shall be created using the DIDs, as tailored by the project manager, without reordering or renumbering.

3.3.2 All documents shall follow the section numbering and content description found in the tailored DIDs.

3.3.3 Each section and subsection shall contain one of six entries:

- a. Information (text or graphics pertaining to the section).
- b. TBD, if the information is not ready.
- c. N/A and the rationale for marking the section N/A.
- d. A pointer to a section of a document in the project's documentation produced using this Standard. This type of pointer should be used when a more general description of the item to be documented is already called for elsewhere and that section is sufficient for the needs of the section doing the pointing. Typically, this involves pointing from a section in one DID to a section in another DID.
- e. A pointer to a section of a document NOT produced using the Standard. This type of pointer should be used if the section is to be produced using a format other than that specified in this Standard. A pointer of this type shall direct the reader to the exact location of the needed information. There must be a separate pointer for each section and subsection in the tailored DIDs. The sectioning found in the tailored DIDs must be maintained in the produced documentation to ensure traceability to the tailored DIDs and to ensure uniformity in the application of the Standard. For documents that will be produced multiple times (for example, multiple Product Specifications), a one time mapping should be produced for that type of document and included in the introductory material of that document.
- f. A pointer to a rolled out document (as described in Section 3.3.8).

3.3.4 If a particular class of document (for example, Test Procedures) is to be produced in a format different from that given in the DIDs, the project manager shall produce a detailed mapping that indicates precisely where each piece of information called for in the DIDs may be found. This mapping shall then be included once in Section 1.5, Documentation Organization, of the Management Plan.

3.3.5 All new sections created shall only contain information that cannot appropriately be placed anywhere else in the tailored DIDs.

3.3.6 Each document shall contain a list (in the form of a table of contents) in Section 1.5, Documentation Organization, that shows which sections and subsections have been:

- a. Marked N/A
- b. Added

- c. Marked with a pointer

NOTE: Appendix A contains a complete Table of Contents for a documentation set.

3.3.7 All documents shall contain the DID number of the highest level DID used to produce that document. This number should be placed either on the cover or in the Applicable Documents Section.

3.3.8 Roll out

Roll out is a mechanism for recording sections of one document in physically separate documents while maintaining traceability. Roll out is to be used if the project manager needs to break up a document into multiple documents.

Some factors influencing a decision in favor of roll out include:

- a. When the activities to be accomplished are delegated to another organization, whether internal or external.
- b. When the detail occasioned by the complexity of the activities to be accomplished is too great to be described within a single physical document.
- c. When it is desirable to apply configuration management and control to the section separately from other sections because of amount of change expected, time required to review before baselining, etc.

3.3.8.1 A rolled out document shall include every section and subsection contents and format from the point exited from its parent document.

3.3.8.2 A rolled out document shall contain introductory and supplemental sections specified in DID 999 Template DID.

3.3.8.3 Each rolled out document shall be titled as illustrated below. This method supports the Standard and enables the document to be placed in context with its parent document(s).

of the
[of the]

Note that the document entry in brackets ([]) is to be expanded zero or more times depending on the number of levels of roll out from the documentation set parent. Additional information may be included on the title page as specified by delivery requirements.

4.0 QUALITY ASSURANCE PROVISIONS

The program/project manager is responsible for assuring and enforcing this Standard in the following ways:

- a. Emphasizing correct enforcement and interpretation of this Standard as the documentation is being prepared.
- b. Evaluating use of the Standard during the phase transition reviews indicated by the life cycle.
- c. Initiating activities specifically to assure documentation is prepared according to the Standard, such as reviews or audits. These activities should be explicitly called out in the Assurance Plan section of the Management Plan.

It is the responsibility of any reviewer to be familiar with the particular aspects of this Standard that are applicable to the products or processes under review and to question any deviations. In particular, a reviewer should ensure:

- a. A tailoring checklist has been prepared and is included in the documentation.

- b. Documentation trees are produced and included in the documentation.
- c. The documentation follows the tailored standard in format and content.
- d. The use of roll out is properly applied.

The detailed outline and contents specifications for documentation can be used by reviewers as a gross level checklist.

5.0 PACKAGING

Not Applicable. There are no packaging requirements associated with this Standard.

6.0 ADDITIONAL INFORMATION

THIS SECTION CONTAINS NO REQUIREMENTS.

This section provides additional information and examples for certain elements of the Standard. The examples are given as the most likely interpretation of the requirements given in the Standard, but are not exclusive.

6.1 RELATIONSHIP BETWEEN ACQUIRER AND PROVIDER

The Standard defines two types of organizations, acquirers and providers. The acquirer is the organization that is purchasing the software, product, or associated service. In most cases, the acquirer is NASA or an organization within NASA. The provider is the organization that is delivering that product or service. This can be a contractor, a separate NASA organization, or, in some cases, the acquirer and provider are the same organization. A provider may provide software, IV&V, subcontractor support, consulting, etc. A provider is ultimately responsible for providing something to the acquirer in accordance with the acquirer's requirements.

If the acquirer of a software system is NASA and the provider is a contractor, a typical scenario of how the acquirer and provider documents would be produced is as follows. The acquirer determines that a software system is needed, and creates a Management Plan (in particular, an Acquisition Plan) for that software. The acquirer then creates an RFP and SOW based on this plan. The provider winning the contract will produce a Management Plan based on the SOW, and a Product Specification, Assurance and Test Procedures, and Management, Engineering, and Assurance Reports based on that Management Plan. The acquirer will continue documentation in its Management Plan, and will create Assurance and Test Procedures and Management, Engineering, and Assurance Reports for the acquirer's activities.

6.2 DOCUMENT TITLES

The following is an example of a cover page for a document when complying with requirements 3.3.7 and 3.3.8.3. Assuming that this is a rolled out Acquisition Activities Plan section of a Management Plan, the cover would contain the following information:

ACQUISITION ACTIVITIES PLAN
of the
MANAGEMENT PLAN
of the
XYZ SOFTWARE SYSTEM

The DID number in the lower left hand corner is the DID number of the highest level DID used to produce this document; in this

case, NASA DID M100, Acquisition Activities Plan.

6.3 TAILORING CHECKLIST

Appendix A contains a detailed outline (in the form of a table of contents) of every section and subsection comprising the Management Plan; Product Specification; Assurance and Test Procedures; and the Management, Engineering, and Assurance Reports. This list may be a useful aid to the person tailoring the Standard. To use the list, simply go down the list and check off every section and subsection as applicable or nonapplicable. Once this is done, go through the list again and check off any sections that will contain pointers, either due to roll out or because the information is found somewhere else. Once this is completed, this list is placed in Section 1.5, Documentation Organization, of each document produced in order to satisfy requirement 3.3.6.

END